



Portable Water Barrier for House

Portable and light weight water barrier help to stop the unwanted water into your house and district. Could be deployed easily without construction limited.

Product Parameter:

Standard size:

- 300cm length x 30cm width x 30cm height
- 500cm length x 30cm width x 30cm height
- 600cm length x 30cm width x 30cm height
- 100cm length x 30cm width x 30cm height

Support customization service

Color:Yellow(most of customers prefer yellow color) Refer to PANTONE or RAL color book

Reflective strap:Grey(able to detect in the dark)

Thickness:0.6mm

Weight:4kg/m

Warranty:12months

Features:

- A panel is enclosed in the side surface, and the cross section is kept in a triangular shape for stability.
- It is simple and easy to fold and can be stored in a neat shape.
- The water inlet and drain outlet are simple and match the watering hose.
- It is lightweight. (Approximately 12kg at 3 m)
- Stops the water level up to about 25 cm.


Application:

- Parking lot
- Residential house
- Street
- Office
- Yard


Installation width approx. 30cm height approx. 3000cm length. The amount of water is about 70L per 1m.



Removable Flood Protection Barriers for Homes



Standard size:300cmx30cmx30cm
Thickness:0.6mm
Weight:11.5kg



Portable Water Barrier for House

Light weight and portable water barrier fence

Features:

- ✓ Water barrier
- ✓ Waterproof
- ✓ Flame retardant
- ✓ Long life span
- ✓ Easy to store
- ✓ Light weight design
- ✓ Reflective design



Anti Mildew



Anti Freeze




Sun Protection



Acid Resistance



Eco Friendly





Stable

The triangular cross section supported by the panel is stable.



Follow

The triangular cross section supported by the panel is stable.



Water resistance

It is supposed to correspond to a water level of about 15 cm.



Inlet & outlet valve

One-button control of inlet and outlet valves, easy and simple



Installation

Stretch it out and install it. (If it is 3 to 5 m, it can be installed by one person.)



Air exhaust vent

when you fill into water you can open the vent to let the air out you can fill with full water.



Transportation

You can carry it by yourself easily. (Length 3-5m)



Once spread

Once empty, install and then start water injection.



Put on entrance

Recommended for underground parking lots with slopes, turntable



Storage shape

When folded, it has a neat shape. Storage space is also small.

